

Notice of Allowability	Application No.	Applicant(s)	
	10/690,685	NEMOTO, SHIGERU	
	Examiner	Art Unit	
	CATHERINE N. WITCZAK	3767	

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

- * Certified copies not received:

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date See Continuation Sheet
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material

5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

UPERVISOR TATIANA
Tatiana C. Harrison

2/1/08

Continuation of Attachment(s) 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date: 7/11/07; 9/21/07; 9/28/07; 11/5/07.

Art Unit: 3767

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Dan Altman on 1/31/2008.

In claim 1, on lines 1 and 2 of the claims, following "the syringe barrel"

--- "being adapted to be" --- has been deleted.

In claim 1, on line 20 of the claim, following "deformed when compressed"

--- "." --- has been deleted and

--- " ; said cylinder holder comprising: a flange insertion groove for holding the syringe barrel; and a concave portion formed on an inner wall surface of the flange insertion groove to be contacted with the rear surface of the flange of the syringe barrel; whereby, the concave portion is engaged with the projection on the rear surface of the flange when the syringe barrel is mounted in a use position." --- has been inserted.

In claim 9, on line 1 of the claim, following "A cylinder holder"

--- "with a syringe barrel mounted thereon, said cylinder holder" --- has been inserted.

In claim 9, line 15 of the claim, following "wherein front is considered"

--- "." --- has been deleted and

--- " ; said syringe comprising: a flange to be held by the flange insertion groove; and a concave portion formed on the rear surface of the flange, whereby the concave portion is engaged with the

W

Art Unit: 3767

projection on an inner wall surface of the flange insertion groove when the syringe barrel is mounted in a use position." --- has been inserted.

In claim 11, lines 1 and 2 of the claim, following " a syringe barrel"

--- "mounted on a cylinder holder" --- has been inserted.

In claim 11, line 2 of the claim, following "claim 1, 4, 5, 6, 7, or"

--- "10" has been deleted and

--- "9" has been inserted.

Allowable Subject Matter

Claims 1, 4-7, 9, and 11 are allowed.

As to claims 1 and 9, the prior art does not disclose or render obvious at the time the invention was made a syringe barrel and syringe holder configuration with projecting flanges and grooves which interact as claimed by the Applicant.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to CATHERINE N. WITCZAK whose telephone number is (571)272-7179. The examiner can normally be reached on Monday through Friday, 8-5 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Simons can be reached on (571) 272-4965. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

W

Art Unit: 3767

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

cw

www 2/11/08

KEVIN C. SIRMONS
SUPERVISORY PATENT EXAMINER

Kevin C. Sirmons